

What's MAC address clone used for and how to configure?

It is suitable for : **N600R, A800R, A810R, A3100R, T10, A950RG, A3000RU**

Application introduction:

MAC address is the physical address of your computer's network card. Generally, every network card has one unique Mac address. Since many ISPs only allow one computer in LAN to access Internet, users can enable MAC address clone function to make more computers surf Internet.

Following these steps:

1. Connect you PC to the router by cable or wireless.
2. Typing **192.168.0.1** in the address bar of you browser.
3. Input the user name and password, both are admin by default.
4. Click **Network->WAN** Settings, Select the WAN type and click **clone MAC**. Finally click Apply.

WAN Setting

This page is used to configure the parameters for Internet network which connects to the WAN port of your device. Here you may change the access method to DHCP, Static IP, PPPoE...

Connection Status	PPPoE Disconnected					
WAN Connection Type	PPPoE 1					
User Name	<input type="text"/>					
Password	<input type="password"/>					
Special Type	None					
Connection Mode	Auto					
MTU	1492 (546-1492)					
DNS Mode	Attain DNS Automatically					
Primary DNS	<input type="text"/> . <input type="text"/> . <input type="text"/> . <input type="text"/>					
Secondary DNS	<input type="text"/> . <input type="text"/> . <input type="text"/> . <input type="text"/> (Optional)					
Clone MAC Address	F4 : 28 : 54 : 07 : A9 : B5					
	<input type="button" value="Clone MAC"/> 2 <input type="button" value="Factory MAC"/>					
	<input type="button" value="Apply"/> 3					