

The Smartest Network Device

www.totolink.net



10/100Mbps PCI Network Adapter

Model No. P100



PCI interface



1*10/100 Mbps



Strong system compatibility

> Overview

10/100Mbps PCI Network Adapter

Model No. P100

P100 is a 10/100Mbps Fast Ethernet PCI Adapter which allows users to connect to a wired network by plugging it into the desktop computer's available PCI slot. It also supports 32-bit data transmission rate and 10/100Mbps Full & Half Duplex transfer modes. So P100 can provide high performance, low CPU utilization and good compatibility to all users.

> Features

- Complies with IEEE 802.3/802.3u standards.
- Supports 10/100Mbps Ethernet transmission rate.
- Two LED indicators for easy diagnostic.
- Supports plug-and-play, no driver required.
- Supports Full & Half Duplex flow control.
- Supports transmission/receiving FIFO.
- Supports Windows XP/Vista/7, Linux and Mac OS.



Specification

General

Standards - IEEE 802.3, IEEE 802.3u

Port - 1*10/100Mbps RJ45 port

Transmission Rate - 10/100Mbps for Full/Half-Duplex modes

Network Interface - PCI

LED Indicator - 1 *LINK/ACT

Others

Package Contents - P100 Network Adapter *1

- TOTOLINK Flyer

System Requirement - Windows 8 (32/64bits), Windows 7 (32/64bits), Windows XP (32/64bits)

- Linux

Environment - Operating Temperature: $0^{\circ} \sim 40^{\circ} \sim 104^{\circ}$

- Storage Temperature: -40 $^{\circ}$ C ~70 $^{\circ}$ C (-40 $^{\circ}$ F ~158 $^{\circ}$ F)

- Operating Humidity: 10%~90% non-condensing

- Storage Humidity: 5%~90% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright 2018 ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Tel: +86-755-6136-3288 (Ext. 851) | FAX: +86-755-6136-3344

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China