



The Smartest Network Device

www.totolink.net



150Mbps Wireless N USB Adapter

Model No. **N160USM**



Plug and Play



Mini Design



150Mbps High Speed




Built-in High-gain Antenna

➤ Overview

150Mbps Wireless N USB Adapter


Model No. **N160USM**

N160USM is a wireless N USB adapter, delivering wireless speed up to 150Mbps. With mini design and built-in high gain antenna, it is portable for the trip, especially for the business travelers. It supports to make your desktop computer transmit and receive wireless signal freely, sharing the wireless network efficiently.



➤ Features


- Complies with IEEE 802.11b/g/n standards.
- Up to 150Mbps data rate for Wi-Fi network.
- Supports 64/128-bit WEP, WPA, WPA2, WPA-PSK, WPA2-PSK encryption.
- Universal USB2.0 interface for high compatibility.
- Supports Windows 10/8/7/ XP(32/64-bit).
- Built-in driver, easy to install and configure.
- Mini design is portable for the trip.



Selling point

➤ Wireless 150Mbps

With built-in high gain antenna, N160USM delivers wireless speed up to 150Mbps. It helps your computer transmit and receive wireless signal freely.




➤ Plug and Play

The driver has been integrated into N160USM, it requires no complicated configurations, several steps to finish the installation and enjoy the convenience of plug-and-play.



➤ Mini Design

With mini design and built-in high gain antenna, it is portable for the trip, especially for the business travelers.



Specification

Hardware

Interface	- USB 2.0
LED Indicator	- 1 *Wireless
Dimensions (L x W x H)	- 23mm x 16mm x 6mm
Antenna	- built-in antenna

Wireless

Standards	- IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
RF Frequency	- 2.4GHz
Data Rate	- 2.4G: Up to 150Mbps < 20dBm
EIRP	- 64/128-bit WEP, WPA, WPA2, WPA-PSK, WPA2-PSK (TKIP/AES) - 2.4G: 11b: <-79dbm; 11g: <-68dbm;
Wireless Security	11n: HT20<-65dbm HT40: <-61dbm
Reception Sensitivity	

Others

Package Contents	- N160USM Wireless Adapter *1
System Requirement	- Windows 10 (32/64bits), Windows 8 (32/64bits), Windows 7 (32/64bits), Windows XP (32/64bits)
Environment	- Operating Temperature: 0℃~50℃ (32℉~122℉) - Storage Temperature: -40℃~70℃ (-40℉~158℉) - Operating Humidity: 5%~95% non-condensing - Storage Humidity: 5%~95% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright 2019 ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road,
Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-6136-3288 (Ext.867) | FAX : +86-755-6136-3344

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block,
Shajing Street, Baoan District, Shenzhen, Guangdong, China

Direct Line : +86-755-3686-1188(Ext. 5810) | FAX : +86-755-3686-1133

N650USM

150Mbps
Wireless N USB Adapter